



LONG ISLAND RAIL ROAD
 LIGHTING PLAN (EAST SIDE)
 1"=30'-0"

LEGEND

	UTILITY POLE		PROPOSED (2) 2" SCH. 80 PVC LIGHTING CONDUIT
	GUY WIRE		PROPOSED (1) 3" SCH. 80 PVC BUILDING SERVICE CONDUIT
	LIGHT POLE		PROPOSED PRECAST ELECTRIC PULL BOX W/ CASTING
	DRAIN INLET		PROPOSED "QUANZITE" LIGHTING PULL BOX #P1118BG18
	CATCH BASIN		CONSTRUCTION ENTRANCE (OVERSIZED STONE) TO BE INCLUDED IN ITEM 102SS-C
	BOLLARD		PERMANENT FULL DEPTH ASPHALT RESTORATION (4" RECYCLED CONCRETE, 1-1/2" BASE ASPHALT AND 1-1/2" TOP ASPHALT; ITEMS 39B, 36D, AND 37); TEMPORARY ASPHALT 4" RCA AND 2" BASE (39B & 37)
	SIGN		5" CONCRETE SIDEWALK (ITEM 27)
	IRRIGATION CONTROL BOX		1" TOP SOIL AND SEED (ITEM 200SS-1)
	IRRIGATION VALVE		
	FLAG POLE		
	WOOD POLE		
	GAS METER		
	GENERIC MANHOLE		
	ELECTRIC MANHOLE		
	DRAINAGE MANHOLE		
	EXISTING TREE		
	TREE W/ PROTECTION		
	CONTRACT LIMIT LINE (C.L.L.)		
	REMOVALS		
	SILT FENCING		

 Incorporated Village of Rockville Centre	DATE	3/14/23	REVISIONS	
	DRAWN BY	MAB	#	DATE
	SCALE	1"=20'	1	4/28/23
	SIZE	24X36	2	
			3	
DISTRIBUTION		PROJECT NUMBER		
ENGINEERING DEPARTMENT		VETS_ELEC_23		
PROJECT		DRAWING NUMBER		
PROPOSED VETERAN'S PARK LIGHTING INFRASTRUCTURE		2_Light_Site.dwg		
ROCKVILLE CENTRE, NEW YORK		SHEET 2 OF 3		
TITLE		LIGHTING SITE PLAN (EAST SIDE)		

JOHN A. MIRANDO, P.E.
 N.Y.S. LICENSE #061765